

Dental Materials Research Center Publications (2014)

1. Feiz A, Barekatain B, Khalesi S, Khalighinejad N, Badrian H, Swift EJ. Effect of several bleaching agents on teeth stained with a resin-based sealer. *IntEndod J* 2014; 47:3-9.
2. Alavi SH, Birang R, Hajizadeh F, Banimostafae H. Effect of bracket bonding with Er: YAG laser on nanomechanical properties of enamel. *Dent Res J (Isfahan)* 2014; 11: 49-55.
3. Sharifnabi A, Fathi MH, EftekharYekta B, Hossainalipour M. The structural and bio-corrosion barrier performance of Mg-substituted fluorapatite coating on 316L stainless steel human body implant. *Appl Surf Sci* 2014; 288: 331-40.
4. Razavi M, Fathi MH, Savabi O, HashemiBenie B, Razavi MS, Vashae D, Tayebi L. Coating of biodegradable magnesium alloy bone implants using nanostructured diopside (CaMgSi₂O₆). *App Sur Sci* 2014; 288; 130-7.
5. Khalighinejad N, Barekatine B, Hasheminia SM, Gheibolahi H. In vitro evaluation of two methods of ultrasonic irrigationon marginal adaptation of MTA plugs in open apex teeth: A SEM analysis. *Indian J Dent Res* 2014; 25:69-72.
6. Khoroushi M, Rafizadeh M, Samimi P. Bond Strength of composite Resin to enamel: assessment of two ethanol wet-bonding techniques. *J Dent (Tehran)* 2014; 11: 150-60.
7. Alavi SH, Mamavi T. Evaluation of load-deflection properties of fiber-reinforced composites and its comparison with stainless steel wires. *Dent Res J (Isfahan)* 2014; 11: 234-9.
8. Karamian E, Khandan A, Motamedi MR, Mirmohammadi H. Surface characteristics and bioactivity of a novel natural HA/Zircon nanocomposite coated on dental implants. *Biomed Res Int* 2014; 2014:410627.
9. Nejatidanesh F, Savabi O, Ebrahimi M, Savabi G. Retentive strength of implant-supported base metal copings over short metal abutments using different luting agents and surface treatments. *Implant Dent* 2014; 23:162-7.
10. Akhavan A, Nilchian F, Salehi A. Traumatic dental injuries and their follow-up in patients attending Isfahan Dental School during a 5-year period (2005-2011). *J Isfahan Dent Sch* 2014; 10: 53-66.
11. Sabouhi M, Khodaeian N, Ataei E, Kiani F. The effect of addition of calcium hypochlorite disinfectant on setting expansion and surface hardness of dental stone. *The Journal of Islamic Dental Association of IRAN (JIDA)*. 2014; 26: 29-34.
12. Savabi O, SahraneshinSamani M, SahraneshinSamani A, Khoroushi M. An overview of application of CAD/CAM in dentistry (Part I). *J Isfahan Dent Sch* 2014; 10: 86-94.

Dental Materials Research Center Publications (2014)

13. Razavi M, Fathi MH, Savabi O, Razavi SM, HashemiBenie B, Vashaeeg D, Tayebi L. Controlling the degradation rate of bioactive magnesium implants by electrophoretic deposition of akermanite coating. *Ceram Int* 2014; 40: 3865–72.
14. Alavi S, Birang R, Hajizadeh F. Shear bond strength of orthodontic brackets after acid-etched and erbium-doped yttrium aluminum garnet laser-etched. *Dent Res J (Isfahan)* 2014; 11: 321-26.
15. Razavi M, Fathi MH, Savabi O, HashemiBeni B, Vashaee D, Tayebi L. Surface microstructure and in vitro analysis of nanostructured akermanite ($\text{Ca}_2\text{MgSi}_2\text{O}_7$) coating on biodegradable magnesium alloy for biomedical applications. *Colloids Surf B Biointerfaces* 2014; 117: 432– 40.
16. Khoroushi M, Kachuei M. Pull-out bond strength of a self-adhesive resin cement to NaOCl-treated root dentin: effect of antioxidantizing agents. *Restor Dent Endod (RDE)* 2014; 39: 95-103.
17. Savabi O, SahraneshinSamani M, SahraneshinSamani A, Khoroushi M. A review of CAD/CAM use in dentistry (part II): Comparison of intraoral digital scanners used in restorative dentistry. *J Isfahan Dent Sch* 2014; 4:163-75.
18. Razavi M, Fathi MH, Savabi O, Vashaeee D, Tayebid L. Micro-arc oxidation and electrophoretic deposition of nano-grain merwinite ($\text{Ca}_3\text{MgSi}_2\text{O}_8$) surface coating on magnesium alloy as biodegradable metallic implant. *Surf Interface Anal* 2014; 46: 387–92.
19. Shirani M, Mosharraf R, Shirany M. Comparisons of patient satisfaction levels with complete dentures of different occlusions: A randomized clinical trial. *J Prosthodont* 2014; 23: 259-66.
20. Motamedi MK, Behzadi A, Khodadad N, Zadeh AK, Nilchian F. Oral health and quality of life in children: A cross-sectional study. *Dent Hypotheses* 2014; 5:53-8.
21. Bazvand L, Aminozarbian MGH, Farhad A, Noormohammadi H, Hasheminia SM, Mobasherizadeh S. Antibacterial effect of triantibiotic mixture, chlorhexidine gel, and two natural materials propolis and aloe vera against *Enterococcus faecalis*: An ex vivo study. *Dent Res J (Isfahan)* 2014; 11:469-74.
22. Jabbari E, Savabi O, Nejatidanesh F. Use of pindex system in fabrication of the sectional custom tray. *J Prosthodont* 2014; 23: 417-9.
23. Mosharraf R, Zare S. Effect of the type of endodontic sealer on the bond strength between fiber post and root wall dentin. *J Dent (Tehran)* 2014; 11:455-63.
24. Rojaee R, Fathi MH, Raeissi K, Taherian MH. Electrophoretic deposition of bioactive glass nanopowders on magnesium based alloy for biomedical applications. *Ceram Int* 2014; 40:7879–88.

Dental Materials Research Center Publications (2014)

25. Ghasemi E, Khazaei S, Bajoghli F, Nasri N, Iranmanesh P. Stress distribution in luting cement layer in implant supported fixed partial dentures using finite element analysis. *Journal of Islamic Dental Association of Iran (JIDA)* 2014; 26: 131-36.
26. Tarighi P, Khoroushi M. A review on common chemical hemostatic agents in restorative dentistry. *Dent Res J (Isfahan)* 2014; 114: 423-8.
27. Mogharehabed A, Birang R, Torabinia N, Nasiri S, Behfarnia P. Socket preservation using demineralized freezed dried bone allograft with and without plasma rich in growth factor: A canine study. *Dent Res J (Isfahan)* 2014; 11: 460-8.
28. Khademi H, Torabinia N, Allameh M, Jebreilamagh HR. Comparative evaluation of photodynamic therapy induced by two different photosensitizers in rat experimental candidiasis. *Dent Res J (Isfahan)* 2014; 11: 452-9.
29. Rojaee R, Fathi MH, Raeissi K, Sharifnabi A. Biodegradation assessment of nanostructured fluoridated hydroxyapatite coatings on biomedical grade magnesium alloy. *Ceram Int* 2014; 40: 15149-58.
30. Nejatidanesh F, Savabi O, Jabbari E. Effect of surface treatment on the retention of implant-supported zirconia restorations over short abutments. *J Prosthet Dent* 2014; 112:38-44.
31. Sayyedana FS, Fathi MH, Edris H, Doostmohammadi A, Mortazavi V, Hanifi A. Effect of forsterite nanoparticles on mechanical properties of glass ionomer cements. *Ceram Int* 2014; 40: 10743-48.
32. Razavi M, Fathi MH, Savabi O, Vashaee D, Tayebi L. In vitro study of nanostructured diopside coating on Mg alloy orthopedic implants. *Mater SciEng C Mater BiolAppl* 2014; 41: 168-77.
33. Razavi M, Fathi MH, Savabi O, HashemiBeni B, Vashaee D, Tayebi L. Nanostructured merwinitebioceramic coating on Mg alloy deposited by electrophoretic deposition. *Ceram Int* 2014; 40: 9473-84.
34. Mousavinasab SM, Khoroushi M, Moharreri M, Atai M. Temperature changes under demineralized dentin during polymerization of three resin-based restorative materials using QTH and LED units. *Restor Dent Endod (RDE)* 2014; 155-63.
35. Razavi M, Fathi M, Savabi O, VashaeeD,Tayebi L. Biodegradable magnesium alloy coated by fluoridated hydroxyapatite using MAO/EPD technique. *Surface Engineering* 2014; 30:545-51.
36. Taherian M, Rojaee R, Fathi MH, Tamizifar M. Effect of different sol-gel synthesis processes on microstructural and morphological characteristics of hydroxyapatite-bioactive glass composite nanopowders. *J AdvCeram* 2014, 3: 207-14.

Dental Materials Research Center Publications (2014)

37. Mohandesa F, Salavati-Niasari M, Fereshteh Z, MH Fathi. Novel preparation of hydroxyapatite nanoparticles and nano rods with the aid of complexing agents. *Ceram Int* 2014; 40: 12227–33.
38. Razavi M, Fathi MH, Savabi O, Razavi SM, Heidari F, Vashaee D, Tayebi L. In vivo study of nanostructured diopside ($\text{CaMgSi}_2\text{O}_6$) coating on magnesium alloy as biodegradable orthopedic implants. *Appl Surf Sci* 2014; 313: 60–66.
39. Torabinia N, Khalesi S. Clinicopathological study of 229 cases of salivary gland tumors in Isfahan population. *Dent Res J (Isfahan)*. 2014; 11:559-63.
40. Razavian H, Barekatain B, Shadmehr E, Khatami M, Bagheri F, Heidari F. Bacterial leakage in root canals filled with resin-based and mineral trioxide aggregate-based sealers. *Dent Res J (Isfahan)* 2014; 11:599-603.
41. Mousavinasab SM, Barekatain M, Sadeghi E, Nourbakhshian F, Davoudi A. Evaluation of light curing distance and mylar strips color on surface hardness of two different dental composite resins. *Open Dent J* 2014; 8:144-7.
42. Eshghi A, Khoroushi M, Rezvani A. Resin bonding using etch-and-rinse and self-etch adhesives to decalcified deciduous enamel after bioactive glass air abrasion. *J Contemp Dent Pract*. 2014; 15:595-602.
43. Razavian H, Javari Shehni R, Hasheminia SM, Heidari F. In vitro evaluation of the antifungal activity of five endodontic sealers. *J Isfahan Dent Sch* 2014; 10: 266 – 74.
44. Eshghi A, Khoroushi M, Rezvani A. Effect of bioactive glass air abrasion on shear bond strength of two adhesive resins to decalcified enamel. *J Dent (Tehran)* 2014; 11:644-54.
45. Panahi-Kalamuei M, Mohandes F, Mousavi-Kamazani M, Salavati-Niasari M, Fereshteh Z, Fathi MH. Tellurium nanostructures: Simple chemical reduction synthesis, characterization and photovoltaic measurements. *Mater SciSemicond Process* 2014; 27:1028–35.
46. Fereshteh Z, Fathi MH, Mozaffarinia R. Mg-doped fluorapatite nanoparticles-poly (ε-caprolactone) electrospun nanocomposite: Microstructure and mechanical properties. *SuperlatticesMicrostruct* 2014; 75: 208–21.

Dental Materials Research Center Publications (2014)

47. Khoroushi M, Mazaheri H, Tarighi P, Samimi P, Khalighinejad N. Effect of antioxidants on push-out bond strength of hydrogen peroxide treated glass fiber posts bonded with two types of resin cement. *Restor Dent Endod* 2014; 39:303-9.
48. Naeimi M, Fathi MH, Rafienia M, Bonakdar Sh. Silk fibroin-chondroitin sulfate-alginate porous scaffolds: structural properties and in vitro studies. *J Appl Polym Sci* 2014;131; DOI: 10.1002/APP.41048. [ahead of print]
49. Shirani F, Birang R, Malekipour MR, Hourmehr Z, Kazemi S. Shear bond strength of resin composite bonded with two adhesives: Influence of Er: YAG laser irradiation distance. *Dent Res J (Isfahan)* 2014; 11:689-94.
50. Razavi M, Fathi MH, Savabi O, Vashaee D, Tayebi L. Improvement of biodegradability, bioactivity, mechanical integrity and cytocompatibilitybehavior of biodegradable Mg based orthopedic implants using nanostructured bredigite ($\text{Ca}_7\text{MgSi}_4\text{O}_{16}$) bioceramiccoated via ASD/EPD technique. *Ann Biomed Eng.* 2014; 42:2537-50.
51. Hasheminia SM, Sadeghnejad H. Root canal filling techniques. *J Isfahan Dent Sch* 2014; 10: 391-407.
52. Hejazia MS, Ahmadian M, Meratian M, Fathi MH. Effect of alumina contents on phase stability and mechanical properties of magnesium fluorapatite/ alumina composites. *J MechBehav Biomed Mater* 2014; 40: 95–101.
53. Mohandes F, Salavati-Niasari M, Fathi MH, Fereshteh Z. Hydroxyapatite nanocrystals: Simple preparation, characterization and formation mechanism. *Mater SciEng C* 2014; 45: 29–36.
54. Mosharraf R, Abolhasani M, Givehchian P. A technique for relining bar-retained overdentures. *J Prosthet Dent* 2014; 112:1591-4.
55. Salehi S, Fathi MH, HaghjooyJavanmardSh, Bahners T, Gutmann JS, Ergeun S, Steuhl KP, Fuchsluger TA. Generation of PGS/PCL blend nanofibrous scaffolds mimicking corneal stroma structure. *Macromol Mater Eng* 2014; 299:455-69.
56. Razavi M, Fathi MH, Savabi O, Vashaee D, Tayebi L. Biodegradation, bioactivity and in vivo biocompatibility analysis of plasma electrolytic oxidized (PEO) biodegradable Mg implants. *PhysSciInt J* 2014; 4: 708-22.
57. Razavi M, Fathi MH, Savabi O, Vashaee D, Tayebi L. In vitro evaluations of anodic spark deposited AZ91 alloy as biodegradable metallic orthopedic implant. *Annu Res Rev Biol* 2014; 4: 3716-33.
58. Moinzadeh AT, Mirmohammadi H, Veenema T, Kleverlaan CJ, Wesselink PR, Wu MK, Shemesh H. Effect of a two-step placement procedure on the dislocation resistance of a methacrylate resin-based root canal sealer: a proof of concept. *J Adhes Dent* 2014; 16:567-74.
59. Shokraneh A, Farhad AR, Farhadi N, Saatchi M, Hasheminia SM. Antibacterial effect of triantibiotic mixture versus calcium hydroxide in combination with active agents against *Enterococcus faecalis*biofilm. *Dent Mater J* 2014; 33:733-8.